

MATERIAL SAFETY DATA SHEET

Rubinol Putty

Art. No.: 122

Date: 2009-12-03

Issued by: Susanne Karlsson

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Product name: Rubinol putty
Product type: Putty for filling of cracks and knot holes in wood and laminate
Supplier: ERNST P. AB
Post address: Box 160 06, SE-412 21 Göteborg
Visitors address: Ebbe Lieberathsgatan 29
Telephone: +46-(0)31-7030770
Fax: +46-(0)31-7030779
Internet: www.ernstp.se
E-mail: info@ernstp.se

2. HAZARDS IDENTIFICATION

Human health hazards Not classified as dangerous
Safety hazards Not classified as dangerous
Environmental hazards Not classified as dangerous

3. COMPOSITION / INFORMATION ON INGREDIENTS

The product consists of a mixture of linseed oil, minerals and pigments that are classified as not hazardous.

Hazardous component:

Chemical Name	CAS-Nr.	%	EG-Nr	Symbols	R-phras(es)
1,2-Benzisotiazol-3 (2H)-on	2634-33-5	0,0002%		Xn, N	22-38-41-43-50

For explanation of the Risk phrases, see section 16.

4. FIRST AID MEASURES

Inhalation Not applicable
Skin contact Wash with soap and water
Eye contact Irrigate thoroughly with water
Ingestion Wash mouth with water. Drink water.

If a lot of the product has been swallowed and the person has nausea, contact a physician for medical advice.

5. FIRE FIGHTING MEASURES

The product is not classified as flammable.

Extinguishing media: Dry chemical powder and foam.

6. ACCIDENTAL RELEASE MEASURES

Collect the product. Reuse it if possible.

MATERIAL SAFETY DATA SHEET

Rubinol Putty

Art. No.: 122

7. HANDLING AND STORAGE

Handling

No special advices

Storage

Store at room temperature. Beware of frost – frost can harm the product - it does not change the product characteristics described in this Material Safety Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection:	None
Hand protection:	None
Eye protection:	None
Body protection:	None
Hygiene:	Wash hands with soap and water afterwards

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Paste
Colour	Different for each colour
Smell	Linseed oil
Density	ca 1,85

10. STABILITY AND REACTIVITY

Stability:	The product is stable under normal conditions
Hazardous reactions:	None
Conditions to avoid:	None (frost can damage the product – it does not affect the characteristics described in this Material Safety Data Sheet)
Hazardous decomposition:	None known of

11. TOXICOLOGICAL INFORMATION

Respiratory irritancy:	Not applicable
Skin irritancy:	None known of – wash with soap and water
Eye irritancy:	None known of – rinse off with water
Ingestion:	None known of – rinse mouth with water and drink water

From our experience with this product we have never heard of any toxic damages. If the product is used as it should there are no toxic reactions to expect.

12. ECOLOGICAL INFORMATION

The product is **not** classified as dangerous to the environment.

MATERIAL SAFETY DATA SHEET

Rubinol Putty

Art. No.: 122

13. DISPOSAL CONSIDERATIONS

Smaller amount of waste from tools and spillage can be washed away with the waste water. For disposal of larger amounts contact your local authorities.

Package of aluminium and plastic should be given to recycle after being cleaned.

14. TRANSPORT INFORMATION

ADR/RID Not restricted under these regulations

IMDG/UN Not restricted under these regulations

ICA/IATA/DGR Not restricted under these regulations

15. REGULATORY INFORMATION

Classification according to EEC-regulations: Not classified as dangerous to health, environment or flammable.

16. OTHER INFORMATION

This Material Safety Data Sheet replaces the precedent.

Risk Phrases of the ingredient components under section 2: *(NOT applicable to the product as such)*

R22	Harmful if swallowed
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50	Very toxic to aquatic organisms